

KERN OSF 439

KERN

The practical and robust product for schools, training centres, the workshop and laboratory



Category

Brand	Optics
Product category	Microscope
Product group	Stereo microscope
Product family	OSF-43

Approval

CE mark	✓
---------	---

Construction

Dimension (W×D×H)	230×180×275 mm
Optical system	Greenough
Tube type	Binocular
Tube angle of inclination	45°
Standard objectives	4× 1× 2×
Eyepieces fixed	✓
Diopter adjustment	one-sided
Diopter adjustment [Min]	-5
Diopter adjustment [Max]	5
Contrasting methods	Bright field
Interpupillary distance [Max]	75 mm
Interpupillary distance [Min]	55 mm

Ocular

Ocular field width	WF
Ocular magnifications	10 x
Ocular visual field	20 mm
Ocular diameter	30,5 mm

Focussing

Torque regulation	✓
Working distance	57 mm
Field of view [Min]	5 mm
Field of view [Max]	20 mm
Focusing mechanism	coarse drive

Illumination

Illumination type incident light	LED
Illumination intensity incident light	1 W
Illumination intensity transmitted light	0,35 W
Illumination type transmitted light	LED
Illuminance	Reflected light Transmitted light

Power Supply

Input voltage power supply / power [Max]	100 - 240 V
Input voltage device / power [Max]	4,5 V
Plug-in power supply type	Power adapter
Supplied power supply	Power supply unit
Plug-in power supply / adapter for countries - included with the delivery	EURO
	AUS
Plug-in power supply / adapter for countries - optional	UK US CH

Environmental conditions

Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C

Packing & Shipping

Readability force [d] (N)	1 d
Dimensions packaging (W×D×H)	340×310×225 mm
Net weight	2,323 kg
Shipping method	Parcel service
Net weight approx.	2,4 kg
Gross weight approx.	2,8 kg
Shipping weight	4,7 kg

KERN OSF 439



The practical and robust product for schools, training centres, the workshop and laboratory

Pictograms

STANDARD

